




# E47: Total Synthesis of Fidaxomicin



Lindgren-Pinnick (7)




H. Miyatake-Ondozabal, E. Kaufmann, K. Gademann, *Angew. Chem. Int. Ed.* **2015**, *54*, 1933–1936; E. Kaufmann, H. Hattori, H. Miyatake-Ondozabal, K. Gademann, *Org. Lett.* **2015**, *17*, 3514–3517; F. Glaus, K.-H. Altmann, *Angew. Chem. Int. Ed.* **2015**, *54*, 1937–1940; W. Erb, J.-M. Grassot, D. Linder, L. Neuville, J. Zhu, *Angew. Chem. Int. Ed.* **2015**, *54*, 1929–1932.



Sparr Group Seminar  
 18.05.2017  
 Dominik Lotter

# E47: Total Synthesis of Fidaxomicin



- First isolated by the group of Parenti from *Actinoplanes deccanensis*
- High antibacterial activities
- Introduced in clinic as Dificlir® or Dificid® against *Clostridium difficile* infections (isolation from *Dactylosporangium aurantiacum*)
- Active against multi resistant strains of *Mycobacterium Tuberculosis*

H. Miyatake-Ondozabal, E. Kaufmann, K. Gademann, *Angew. Chem. Int. Ed.* **2015**, *54*, 1933–1936; E. Kaufmann, H. Hattori, H. Miyatake-Ondozabal, K. Gademann, *Org. Lett.* **2015**, *17*, 3514–3517; F. Glaus, K.-H. Altmann, *Angew. Chem. Int. Ed.* **2015**, *54*, 1937–1940; W. Erb, J.-M. Grassot, D. Linder, L. Neuville, J. Zhu, *Angew. Chem. Int. Ed.* **2015**, *54*, 1929–1932.



Sparr Group Seminar  
 18.05.2017  
 Dominik Lotter